



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1713

Certificate only valid if verified on website – www.ifccertification.com

Issued by IFC Certification Ltd part of the Kiwa UK Group

This is to certify that

Evolution Contract Management Ltd T/A Evolution Doors

Units 1-4 Gerald's Yard
Horse Fair Close
St Johns Business Estate
Downham Market, Norfolk
PE38 0QQ
United Kingdom
Tel: 0136 638 5603

Who fabricate the following timber fire doors and or doorsets:

**Strebord FD30, FD60. Stredor FD30, FD60
Trisound FD30, FD60. Flamebreak FD30, FD60.**

have satisfied the requirements of the SDP 01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes** integrity are detailed on page 2 of this certificate.

Initial Certification: 18 March 2022

Revised 05 June 2024

Valid to: 17 March 2027

Issue status: 4

David Mowatt
Head of IFC Certification /
Kiwa Group Limited

*This certificate consists of 2 pages.
Publication of this certificate is permitted.*

CERTIFICATE



The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Strebord	FD30	IFCA/08037
Strebord	FD60	IFCA/08038
Stredor 44	FD30	BMT/CAN/F15159
Stredor 54	FD60	WF377027
Trisound	FD30	PAR/12033/01
Trisound	FD60	PAR/13088/01
Flamebreak	FD30	FEA/F98164
Flamebreak	FD60	FEA/F02141

Signed on behalf of Kiwa UK

David Mowatt
Head of IFC Certification /
Kiwa Group Limited

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.

CERTIFICATE

